

Hospitality

Pre-Sales Support

SL1000

Release x

Doc. Version 1.00

The SL1000

Smart Communication for Small Businesses



www.nec-unified.com



Agenda

- Overview
- Hotel Features
- Hotel Telephones
- VoiceMail Integration



Overview



SL1000 in the Hospitality environment:

- For Family Hotel and 3* Hotel
- SL1000 embedded Hotel Features
- PMS, Desktop Lite (tbd)

Hotel features

Typical Hospitality features are:

- Check-in \ Checkout
 - Toll restriction (when checked out)
- Room status
- Wake up call
- Don't Disturb
- Message waiting
- Etc.




Many Hospitality features are available as standard in the SL1x00:

- Check-in \ Checkout
- Toll restriction (when checked out)
- Wake up call
- Message waiting
- Room status
- Room status printouts
- DSS console monitoring of:
 - Room status
 - WakeUp call status
- Message Waiting
- Do not disturb
- Room monitor (Babyphone)
- Single digit dialing
- Room to room calling restriction
- Etc.




To enable the Hotel features in the SL1000,

- License BE110757 has to be installed.
(NB. Also when NO PMS Interface is used)



Quote		Material Specification		Configuration Differences
Qty	5NC	Prod.Code	Description	
1	35203	BE110267	SL1100 - iSPBX IP4EU-1228M-B KSU w/o C	
1	35306	BE110757	SL1100 - iSPBX Licences SL-SYS-HOTEL LIC	

- Note that “InMail Advanced Features License” is required when integrating InMail



Quote		Material Specification		Configuration Differences
Qty	5NC	Prod.Code	Description	
1	62700	BE106339	SL1100 - iSPBX PZ-VM21	
1	35351	BE110731	IP4Ww-CFVMS-C1	
1	35203	BE110267	IP4EU-1228M-B KSU w/o C	
1	35300	BE110733	SL1100 - iSPBX Licences SL-VM-ADVANCE LIC	
1	35306	BE110757	SL-SYS-HOTEL LIC	

Hotel Phones

Guest phones

- Can be of any type.
- Mostly Analoge phones are used.
- But also IP phones like the 24TiXH



Functions used by Guest

Set\Cancel Wake Up Call

- Music
- Voice Announcement by VRS

Set\Cancel Do Not Disturb

Message Waiting

- VoiceMail integration
- Recall to Reception

Enable Room Monitor \ Baby Sit

Single digit Dialing i.e.

- Reception Dial 0
- Room Service Dial 1
- Outside Line Dial 9



Functions used by Staff

- 1 = Room Clean
- 2 = Maid Required
- 3 = Maid in Room
- 4 = Inspection Required

The reception phone is a Key phone with a 60 button DSS console

This can be configured for

- 60 busy lamps (BLF) for extensions and door boxes
or
- Hotel functions for 108 Rooms



- Room Status (set)
 - Room Clean
 - Maid Required
 - Maid in Room
 - Required
- Room Status display\printout
- Guest phone Traffic Class (Set)
- Room to Room Call Restriction (Set\Cancel)
per room
- Wake Up Call (Set\Cancel)
 - Missed Wake Up Alarm
- Do Not Disturb (Set\Cancel)
- Room Monitor (Baby phone function)



InMail (Daughterboard on CPU) is cost effective voicemail solution for Hospitality

Hotel Integration

- Mailbox is initially created by PCPro \ Webpro
- Mailbox paired (fixed) with telephone number
- At Check-in, Messages and Greetings in mailbox are cleared.
Language is set to default

Licenses:

“InMail Advanced Features License” (BE110733)

Empowered by Innovation

NEC